

**"Standard"**

**ROUGHING-IN  
MEASUREMENTS**

**SINKS**

**SLOP SINKS**

*AND*

**LAUNDRY TRAYS**

**1916 EDITION**



National Trust for  
Historic Preservation  
Library  
of the  
University of Maryland,  
College Park



12

# "Standard"

## Roughing-in Measurements

---

Sinks, Slop Sinks  
and Laundry Trays

---

1916 EDITION

Arch  
NTL  
TH  
6255  
.573  
1916

**Standard Sanitary Mfg. Co.**  
Pittsburgh, Pa., U. S. A.

---

Copyright 1916 by Standard Sanitary Manufacturing Company

# Standard Sanitary Mfg. Co.

General Offices, Bessemer Building  
PITTSBURGH, U. S. A.

Largest Manufacturers of Porcelain Enamel Ware,  
Vitreous China and Brass Plumbing Goods

Capital, \$10,000,000

## FACTORIES

LOUISVILLE, KY.  
TIFFIN, O.

NEW BRIGHTON, PA.  
TORONTO, CAN.

PITTSBURGH, PA.  
KOKOMO, IND.

## SHOWROOMS

NEW YORK, N. Y.	35-37 West 31st Street
BOSTON, MASS.	186-200 Devonshire Street
PHILADELPHIA, PA.	1215 Walnut Street
PITTSBURGH, PA.	Bessemer Bldg., 106 Sixth Street
PITTSBURGH, E. E. BRANCH	6113-6115 Broad Street
CHICAGO, ILL.	14-30 N. Peoria Street
ST. LOUIS, MO.	Pierce Building, 100-102 N. Fourth Street
CLEVELAND, OHIO	4409-4415 Euclid Avenue
CINCINNATI, OHIO	633 Walnut Street
COLUMBUS, OHIO	243-255 South Third Street
YOUNGSTOWN, OHIO	219 North Champion Street
TOLEDO, OHIO	311-321 Erie Street
ERIE, PA.	128-130 West Twelfth Street
WHEELING, W. VA.	3120-3130 Jacobs Street
LOUISVILLE, KY.	319-323 W. Main Street
NASHVILLE, TENN.	315-317 Tenth Avenue, South
NEW ORLEANS, LA.	846-866 Baronne Street
DALLAS, TEX.	1200-1206 Jackson Street
HOUSTON, TEX.	Preston and Smith Streets
SAN ANTONIO, TEX.	212-216 Losoya Street
FT. WORTH, TEX.	828-830 Monroe Street
WASHINGTON, D. C.	200 Southern Building, 15th and H Sts., N. W.
TORONTO, CAN.	59 Richmond Street, East
HAMILTON, CAN.	20-28 Jackson Street, West

## WAREHOUSES

BOSTON, MASS.	122 Granite Street, South Boston
NEW YORK, N. Y.	38th Street and 11th Avenue
SAN FRANCISCO, CAL.	149-155 Bluxome Street
LOS ANGELES, CAL.	671-679 Mesquit Street

## BRANCH OFFICES

DETROIT, MICH.	522 Hammond Building
CHICAGO, ILL.	1010 Karpen Building
KANSAS CITY, MO.	W. Reserve Bank Building
MONTREAL, CAN.	4 Beaver Hall Square
LONDON, ENG.	21 Farringdon Street

# “Standard”

## Roughing-in Measurements for Sinks, Slop Sinks and Laundry Trays

THE purpose of this book is to furnish roughing-in measurements for “Standard” Sinks, Slop Sinks, Laundry Trays and the Traps used on these fixtures. Heretofore measurements have been furnished from each factory individually, upon request, and applied only to the goods made at that factory.

Similar patterns are now in use at all factories and any measurement given herein applies to the goods manufactured at all factories of this company.

Notations regarding roughing-in measurements contained in this book—or for new fixtures as they may be put on the market—can be recorded on the memorandum page provided for that purpose, in the rear of this book.

Additional copies will be furnished free upon request to the general offices, Pittsburgh, or the nearest factory, showroom or branch.


# INDEX

PLATE No.	PAGE	PLATE No.	PAGE
<b>SINKS</b>		<b>SLOP SINKS</b>	
P 6700.....	5	P 7200.....	44
P 6702.....	6	P 7225.....	45
P 6704.....	7	P 7226 - 7.....	46
P 6706.....	8	P 7235.....	47
P 6707.....	9	P 7238.....	48
P 6710.....	10	P 7250.....	49
P 6715.....	11	P 7253.....	50
P 6716.....	12	P 7260.....	51
P 6720.....	13	P 7263.....	52
P 6721.....	14	<b>SLOP SINK TRAPS</b>	
P 6730.....	15	P 7280 - 5.....	53
P 6731.....	16	P 7288 - 90.....	54
P 6750.....	17	P 7292 - 4.....	55
P 6752.....	18	P 7296 - 8.....	56
P 6800.....	19	Connected Waste and Over- flow for Slop Sinks.....	57
P 6801 K.....	20	Slop Sink Connections...58, 59	
P 6803.....	21	<b>LAUNDRY TRAYS</b>	
P 6806.....	22	P 7300.....	60
P 6810.....	23	P 7310.....	61
P 6812.....	24	P 7320.....	62
P 6815.....	25	P 7330.....	63
P 6816.....	26	P 7335.....	64
P 6817 - 8.....	27	P 7338.....	65
P 6820.....	28	P 7340.....	66
P 6821.....	29	P 7350.....	67
P 6822 - 3.....	30	P 7355.....	68
P 6824.....	31	P 7357.....	69
P 6825.....	32	P 7380.....	70
P 6826 - 7.....	33	P 7400.....	71
P 6830.....	34	P 7405.....	72
P 6831.....	35	P 7425.....	73
P 6850.....	36	P 7450-5.....	74, 75, 76, 77
P 6852.....	37	P 7460.....	78, 79
P 6992 Sink Leg.....	38	P 7480.....	80, 81, 82, 83
P 7000.....	39	Adjustable Laundry Tray Pedestal.....	84
P 7001.....	40	Brass Traps.....	85, 86
<b>GREASE TRAPS</b>		Continuous Waste with Vented "S" Trap.....	87
P 7080 - 2.....	41		
P 7088 - 9.....	42		
P 7092 - 6.....	43		

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6700

With 1½-Inch "P" Trap Without Vent




Size	18x30	20x30	20x36	20x40	22x36	22x42
O	9"	10"	10"	10"	11"	11"
L	30"	30"	36"	40"	36"	42"
W	18"	20"	20"	20"	22"	22"

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6702

With 1½-inch "P" Trap Without Vent



Size	18x30	20x30	20x36	20x40	22x36	22x42
<b>O</b>	9"	10"	10"	10"	11"	11"
<b>P</b>	15"	15"	18"	20"	18"	21"
<b>H</b>	11"	11"	14"	16"	14"	17"
<b>L</b>	30"	30"	36"	40"	36"	42"
<b>W</b>	18"	20"	20"	20"	22"	22"


For New Adjustable Sink Leg, see Page 38



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6704

With 1½-inch "P" Trap Without Vent




Size	18x30	20x30	20x36	20x40	22x36	22x42
O	9"	10"	10"	10"	11"	11"
P	15"	15"	18"	20"	18"	21"
H	11"	11"	14"	16"	14"	17"
L	30"	30"	36"	40"	36"	42"
W	18"	20"	20"	20"	22"	22"

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6706

With 1½-Inch "P" Trap Without Vent



Nominal Size	L	W	A	N	O	X
* 20x24	42"	20¼"	5½"	12"	10"	7½"
20x30	52"	20¼"	5½"	15"	10"	7½"
22x36	60"	22¼"	6"	18"	11"	10"


\* Kitchenette Sink

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6707

With 1½-inch "P" Trap Without Vent



The legs regularly furnished allow rim of sink to be adjusted from 30 to 36 inches from the floor

Nominal Size	L	W	A	N	O	X
* 20x24	42"	20 1/4"	5 1/2"	12"	10"	7 1/2"
20x30	52"	20 1/4"	5 1/2"	15"	10"	7 1/2"
22x36	60"	22 1/4"	6"	18"	11"	10"


\* Kitchenette Sink

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6710

With 1½-inch "P" Trap Without Vent



Nominal Size	L	W	A	B	C	O
20x30	74"	20 1/4"	5 1/2"	24"	26"	10"
*22x32	78"	22 1/4"	6"	25	28"	11"


\* This size displaces the 22x36 listed in the "P" Catalogue.

For New Adjustable Sink Leg, see Page 38

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6715

### With 1½-inch "P" Trap Without Vent




Nominal Size	L	W	A	N	O	S	X	Y
20x30	52"	20 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	15"	10"	11"	10"	4 $\frac{3}{4}$ "
22x36	60"	22 $\frac{1}{4}$ "	6"	18"	11"	14"	11"	5 $\frac{3}{4}$ "

**For New Adjustable Sink Leg, see Page 38**

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6716

With 1½-inch "P" Trap Without Vent




Nominal Size	L	W	A	N	O	S	X	Y
20x30	52"	20 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	15"	10"	11"	7 $\frac{1}{2}$ "	4 $\frac{3}{4}$ "
22x36	60"	22 $\frac{1}{4}$ "	6"	18"	11"	14"	10"	5 $\frac{3}{4}$ "

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6720

With 1½-Inch "P" Trap Without Vent




Nominal Size	L	W	A	N	O	S	X	Y
20x30	52"	20 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	37"	10"	33"	7 $\frac{1}{2}$ "	4 $\frac{3}{4}$ "
22x36	60"	22 $\frac{1}{4}$ "	6"	42"	11"	38"	10"	5 $\frac{3}{4}$ "

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6721

With 1½-inch "P" Trap Without Vent



The leg regularly furnished allows rim of sink to be adjusted from 30 to 36 inches from the floor.

Nominal Size	L	W	A	N	O	S	X	Y
20x30	52"	20 1/4"	5 1/2"	37"	10"	33"	7 1/2"	4 3/4"
22x36	60"	22 1/4"	6"	42"	11"	38"	10"	5 3/4"


For New Adjustable Sink Leg, see Page 38



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6730

With 1½-inch "P" Trap Without Vent




Nominal Size	L	W	A	N	O	S	X	Y
20x30	52"	20 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	15"	10"	11"	7 $\frac{1}{2}$ "	4 $\frac{3}{4}$ "
22x36	60"	22 $\frac{1}{4}$ "	6"	18"	11"	14"	10"	5 $\frac{3}{4}$ "

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6731

### With 1½-Inch "P" Trap Without Vent




Nominal Size	L	W	A	N	O	S	X	Y
20x30	52"	20 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "	15"	10"	11"	7 $\frac{1}{2}$ "	4 $\frac{3}{4}$ "
22x36	60"	22 $\frac{1}{4}$ "	6"	18"	11"	14"	10"	5 $\frac{3}{4}$ "

## **"Standard" ROUGHING-IN MEASUREMENTS**

### **Plate P 6750**

**With 1½-inch "P" Trap Without Vent**




The legs regularly furnished allow rim of sink to be adjusted from 30 to 36 inches from the floor.

**For New Adjustable Sink Leg, see Page 38**

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6752

With 1½-Inch "P" Trap Without Vent




The legs regularly furnished allow rim of sink to be adjusted from 30 to 36 inches from the floor.

**For New Adjustable Sink Leg, see Page 38**

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6800

With 1½-inch "P" Trap Without Vent




Size	16x24	18x18	18x24	18x30	18x36	20x20	*20x24	20x30	20x36	20x40	*22x30	*22x36	22x42
O	8"	9"	9"	9"	9"	10"	10"	10"	10"	10"	11"	11"	11"
L	24"	18"	24"	30"	36"	20"	24"	30"	36"	40"	30"	36"	42"
W	16"	18"	18"	18"	18"	20"	20"	20"	20"	20"	22"	22"	22"

\* Can also be furnished 8 inches deep, measuring 8 1/2 inches from top of rim to bottom of outlet boss.

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6801 K With 1½-Inch "P" Trap Without Vent



The legs regularly furnished allow rim of sink to be adjusted from 30 to 36 inches from the floor.

Size	16x24	18x18	18x24	18x30	18x36	20x20	*20x24	20x30	20x36	20x40	*22x30	*22x36	22x42
O	8"	9	9"	9"	9"	10"	10"	10"	10"	10"	11"	11"	11"
L	24"	18"	24"	30"	36"	20"	24"	30"	36"	40"	30"	36"	42"
W	16"	18"	18	18"	18"	20"	20"	20"	20"	20"	22"	22"	22"


\* Can also be furnished 8 inches deep, measuring 8 1/2 inches from top of rim to bottom of outlet boss.

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6803

With 1½-inch "P" Trap Without Vent




Size	16x24	18x18	18x24	18x30	18x36	20x20	20x24	20x30	20x36	20x40	22x30	22x36	22x42
O	8"	9"	9"	9"	9"	10"	10"	10"	10"	10"	11"	11"	11"
L	24"	18"	24"	30"	36"	20"	24"	30"	36"	40"	30"	36"	42"
W	16"	18"	18"	18"	18"	20"	20"	20"	20"	20"	22"	22"	22"

\*Can also be furnished 8 inches deep, measuring 8½ inches from top of rim to bottom of outlet boss.

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6806

With 1½-Inch "P" Trap Without Vent



Size	16x24	18x18	18x24	18x30	18x36	20x20	*20x24	20x30	20x36	20x40	*22x30	*22x36	22x42
O	8"	9"	9"	9"	9"	10"	10"	10"	10"	10"	11"	11"	11"
L	24"	18"	24"	30"	36"	20"	24"	30"	36"	40"	30"	36"	42"
W	16"	18"	18"	18"	18"	20"	20"	20"	20"	20"	22"	22"	22"


\* Can also be furnished 8 inches deep, measuring 8 3/4 inches from top of rim to bottom of outlet boss.



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6810

With 1½-Inch "P" Trap Without Vent




Size	16x24	18x24	18x30	18x36	20x30	20x36	20x40	22x36	22x42
O	8"	9"	9"	9"	10"	10"	10"	11"	11"
P	12"	12"	15"	18"	15"	18"	20"	18"	21"
H	8"	8"	11"	14"	11"	14"	16"	14"	17"
L	24"	24"	30"	36"	30"	36"	40"	36"	42"
W	16"	18"	18"	18"	20"	20"	20"	22"	22"

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6812

With 1½-inch "P" Trap Without Vent




Size	16x24	18x24	18x30	18x36	20x30	20x36	20x40	22x36	22x42
O	8"	9"	9"	9"	10"	10"	10"	11"	11"
P	12"	12"	15"	18"	15"	18"	20"	18"	21"
H	8"	8"	11"	14"	11"	14"	16"	14"	17"
L	24"	24"	30"	36"	30"	36"	40"	36"	42"
W	16"	18"	18"	18"	20"	20"	20"	22"	22"

For New Adjustable Sink Leg, see Page 38

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6815

### With 1½-inch "P" Trap Without Vent




Nominal Size	L	W	N	O	X
20x30	52"	20"	15"	10"	7½"
22x36	60"	22"	18"	11"	10"

**For New Adjustable Sink Leg, see Page 38**

# Plate P 6816

With 1½-inch "P" Trap Without Vent



Nominal Size	L	W	N	O	X
20x30	52"	20"	15"	10"	7½"
22x36	60"	22"	18"	11"	10"

For New Adjustable Sink Leg, see Page 38


## "Standard" ROUGHING-IN MEASUREMENTS

## Plates P 6817-8

### With 1½-inch "P" Trap Without Vent

Plate P 6817—as shown

**Plate P 6818—With Drain Board at Left Hand End of Sink**




The legs regularly furnished allow rim of sink to be adjusted from 30 to 36 inches from the floor.

**For New Adjustable Slink Leg, see Page 38**

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6820

With 1½-Inch "P" Trap Without Vent




Nominal Size	L	W	N	O	S	X	Y
20x30	52"	20"	15"	10"	11"	7½"	4¾"
22x36	60"	22"	18"	11"	14"	10"	5¾"

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6821

With 1½-inch "P" Trap Without Vent



Nominal Size	L	W	N	O	S	X	Y
20x30	52"	20"	15"	10"	11"	7 1/2"	4 3/4"
22x36	60"	22"	18"	11"	14"	10"	5 3/4"

For New Adjustable Sink Leg, see Page 38


# "Standard" ROUGHING-IN MEASUREMENTS

## Plates P 6822-3

With 1½-Inch "P" Trap Without Vent

Plate P 6822—as shown

Plate P 6823—With Drain Board at Left Hand End of Sink




For New Adjustable Sink Leg, see Page 38



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6824

With 1½-inch "P" Trap Without Vent



The leg regularly furnished allows rim of sink to be adjusted from 30 to 36 inches from the floor.


Nominal Size	L	W	N	O	S	X	Y
20x30	52"	20"	37"	10"	33"	7 1/2"	4 3/4"
22x36	60"	22"	42"	11"	38"	10"	5 3/4"

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6825

With 1½-inch "P" Trap Without Vent



Nominal Size	L	W	N	O	S	X	Y
20x30	52"	20"	37"	10"	33"	7½"	4¾"
22x36	60"	22"	42"	11"	38"	10"	5¾"

For New Adjustable Sink Leg, see Page 38


# "Standard" ROUGHING-IN MEASUREMENTS

## Plates P 6826-7

With 1½-inch "P" Trap Without Vent

Plate P 6826—as shown

Plate P 6827—With Drain Board in Right Hand Corner




For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6830

With 1½-inch "P" Trap Without Vent




Nominal Size	L	W	N	O	S	X	Y
20x30	52"	20"	15"	10"	11"	7 1/2"	4 3/4"
22x36	60"	22"	18"	11"	14"	10"	5 3/4"

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6831

With 1½-inch "P" Trap Without Vent




Nominal Size	L	W	N	O	S	X	Y
20x30	52"	20"	15"	10"	11"	7½"	4¾"
22x36	60"	22"	18"	11"	14"	10"	5¾"

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6850


With 1½-Inch "P" Trap Without Vent



For New Adjustable Sink Leg, see Page 38

# Plate P 6852


With 1½-inch "P" Trap Without Vent



For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 6992 New Adjustable Sink Leg



This leg is now regularly furnished and can be adjusted to set rim of sink from 30 to 36 inches from the floor.




## Plate P 7000

With 1½-Inch "P" Trap Without Vent

Plate P 7020 same less Back

Plate P 7030 same less Back but with Horn and Follower




**NOTE**—On page 447, General Catalogue "P", this Sink is illustrated with Center outlet, whereas it has end outlet, as shown in diagram above.

**"Standard" ROUGHING-IN MEASUREMENTS**

**Plate P 7001**

**With 1½-Inch "P" Trap Without Vent**



## Plate P 7080-2

Plate P 7082 shown




Plate P 7088






Plate P 7089




# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7092




## Plate P 7096



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7200

On Plate P 7280 Trap



Size	16x20	18x22	20x22	20x24
W	16 1/4"	18 1/4"	20 1/4"	20 1/4"
L	20 1/4"	22 1/4"	22 1/4"	24 1/4"
O	7 3/4"	8 3/4"	9 3/4"	9 3/4"
T	3 1/2"	4 1/2"	5 1/2"	5 1/2"


O and T may vary 1/4" more or less from the above Dimensions.

For detail of Waste Connections, see Pages 57, 58 and 59

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7225

On Plate P 7280 Trap



Size	16x20	18x22	20x22	20x24	20x30
W	16 1/4"	18 1/4"	20 1/4"	20 1/4"	20 1/4"
L	20"	22"	22"	24"	30"
O	8 1/4"	9 1/4"	10 1/4"	10 1/4"	10 1/4"
T	4"	5"	6"	6"	6"

For detail of Waste Connections, see Pages 57, 58 and 59

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7226-7

on Plate P 7280 Trap

Plate P 7227 shown




Size	16x20	18x22	20x22	20x24	20x30
W	16 1/4"	18 1/4"	20 1/4"	20 1/4"	20 1/4"
L	20 1/4"	22 1/4"	22 1/4"	24 1/4"	30 1/4"
O	8 1/4"	9 1/4"	10 1/4"	10 1/4"	10 1/4"
S	10 1/4"	11 1/4"	11 1/4"	12 1/4"	15 1/4"
T	4"	5"	6"	6"	6"

For detail of Waste Connections, see Pages 57, 58 and 59



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7235 on Plate P 7280 Trap




Size	16x20	18x22	20x22	20x24	20x30
W	16 1/2"	18 1/2"	20 1/2"	20 1/2"	20"
L	20 1/2"	22"	22 1/2"	24 1/2"	30"
X	2"	1 1/2"	1"	1"	1"
O	10 1/4"	10 3/4"	11 1/4"	11 1/4"	11"
T	6"	6 1/2"	7"	7"	7"

For detail of Waste Connections, see Pages 57, 58 and 59

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7238

On Plate P 7280 Trap




Size	16x20	18x22	20x22	20x24	20x30
W	16 $\frac{1}{4}$ "	18 $\frac{1}{4}$ "	20 $\frac{1}{4}$ "	20 $\frac{1}{4}$ "	20 $\frac{1}{4}$ "
L	20"	22"	22"	24"	30"
O	8 $\frac{1}{4}$ "	9 $\frac{1}{4}$ "	10 $\frac{1}{4}$ "	10 $\frac{1}{4}$ "	10 $\frac{1}{4}$ "
T	4"	5"	6"	6"	6"

For detail of Waste Connections, see Pages 57, 58 and 59

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7250

On Plate P 7280 Trap




Size	16x20	18x22	20x22	20x24
L	21 1/4"	23 1/2"	23 1/4"	25 1/4"
W	17 1/4"	19 1/2"	21 1/4"	21 1/4"
O	9 3/8"	10 1/2"	11 3/8"	11 3/8"

For detail of Waste Connections, see Pages 57, 58 and 59

# Plate P 7253


on Plate P 7280 Trap



Size	16x20	18x22	20x22	20x24
L	21 $\frac{1}{4}$ "	23 $\frac{1}{4}$ "	23 $\frac{1}{4}$ "	25 $\frac{1}{4}$ "
W	17 $\frac{1}{4}$ "	19 $\frac{1}{4}$ "	21 $\frac{1}{4}$ "	21 $\frac{1}{4}$ "
O	9 $\frac{3}{8}$ "	10 $\frac{1}{8}$ "	11 $\frac{3}{8}$ "	11 $\frac{1}{8}$ "

For detail of Waste Connections, see Pages 57, 58 and 59

**Plate P 7260**  
on Plate P 7280 Trap




Size	16x16	16x20	18x22	20x22	20x24
W	16 1/4"	16 1/4"	18 1/4"	20 1/4"	20 1/4"
L	16"	20"	22"	22"	24"
O	8 1/4"	8 1/4"	9 1/4"	10 1/4"	10 1/4"
T	4"	4"	5"	6"	6"

For detail of Waste Connections, see Pages 57, 58 and 59

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7263


On Plate P 7280 Trap




Size	16x16	16x20	18x22	20x22	20x24
W	16"	16"	18"	20"	20"
L	16"	20"	22"	22"	24"
O	8"	8"	9"	10"	10"
T	3 3/4"	3 3/4"	4 3/4"	5 3/4"	5 3/4"

For detail of Waste Connections, see Pages 57, 58 and 59


**Plate P 7280**



**Plate P 7285**




**Plate P 7288**




**Plate P 7290**

**With Brass Vent**






**Plate P 7292**




**Plate P 7294**




**"Standard" ROUGHING-IN MEASUREMENTS**

**Plate P 7296**





**Plate P 7298**



Can be furnished with Outlet tapped for 2 inch I. P. Measurements the same


## **1½-inch Connected Waste and Overflow for Slop Sinks**

**When Supported on Trap Standard**




## **"Standard" ROUGHING-IN MEASUREMENTS**

**Slop Sink Outlet with Open or Plug Strainer,  
Trap Standard Connection**




**Slop Sink Outlet with Open or Plug Strainer. 2-inch or  
2½-inch Tubing Tail Piece**




## **"Standard" ROUGHING-IN MEASUREMENTS**

**Slop Sink Outlet with Open or Plug Strainer, 2-Inch  
Lead Pipe Connection**




**Slop Sink Outlet with Open or Plug Strainer, 1½-Inch  
or 2-Inch Iron Pipe Connection**



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7300

With 1½-Inch Plate P 10474 Vented "S" Trap




For Pedestal, see Page 84

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7310

With 1½-inch Plate P 10474 Vented "S" Trap




For Pedestal, see Page 84

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7320

**With Continuous Waste and 1½-inch Plate P 10474  
Vented "S" Trap**




For Pedestal, see Page 84



## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7330

**With Continuous Waste and 1½-inch Plate P 10474  
Vented "S" Trap**




**For Pedestal, see Page 84**



## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7338

**With Continuous Waste and 1½-inch Plate P 10474  
Vented "S" Trap**




**For Pedestal, see Page 84**



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7350

With Continuous Waste and 1½-inch Plate P 10474  
Vented "S" Trap




For Pedestal, see Page 84

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7355

**With Continuous Waste and 1½-inch Plate P 10474**  
**Vented "S" Trap**




For Pedestal, see Page 84

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7357


**With Continuous Waste and 1½-inch Plate P 10474  
Vented "S" Trap**



**For Pedestal, see Page 84**

**"Standard" ROUGHING-IN MEASUREMENTS**



**Plate P 7380**



**For Pedestal, see Page 84**





## Plate P 7400



**"Standard" ROUGHING-IN MEASUREMENTS**


**Plate P 7405**



## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7425

**Integral Sink and Laundry Tray with Continuous Waste and 1½-inch Plate P 10474 Vented "S" Trap**




**For Pedestal, see Page 84**

**For New Adjustable Sink Leg, see Page 38**

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7450-5

**With Left Hand Sink and 1½-Inch Plate P 10474  
Vented "S" Traps**



**For Pedestal, see Page 84**


**For New Adjustable Sink Leg, see Page 38**



# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7450-5

Two Trays and Left Hand Sink with Continuous Waste for Trays  
and 1½-Inch Plate P 10474 Vented "S" Traps




For Pedestal, see Page 84

For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7450-5

Two Trays and Right Hand Sink with Continuous Waste for  
Trays and 1½-inch Plate P 10474 Vented "S" Traps




For Pedestal, see Page 84  
For New Adjustable Sink Leg, see Page 38

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7460

With Continuous Waste and 1½-inch Plate P 10474  
Vented "S" Trap



For Pedestal, see Page 84


For New Adjustable Sink Leg, see Page 38



## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7460

**With Continuous Waste and 1½-inch Plate P 10474  
Vented "S" Trap**




**For Pedestal, see Page 84**

**For New Adjustable Sink Leg, see Page 38**

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7480

### With 1½-inch "P" Traps without Vent




SINK	L	O	C	D
20x24	48 $\frac{1}{4}$ "	18"	8"	13 $\frac{3}{4}$ "
20x30	54 $\frac{1}{4}$ "	24"	11"	16 $\frac{3}{4}$ "
20x36	60 $\frac{1}{4}$ "	30"	14"	19 $\frac{3}{4}$ "

**For Pedestal, see Page 84**

## "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7480

### With 1½-inch "P" Traps without Vent




SINK	L	O	C	D
20x24	48 $\frac{1}{4}$ "	18"	8"	13 $\frac{3}{4}$ "
20x30	54 $\frac{1}{4}$ "	24"	11"	16 $\frac{3}{4}$ "
20x36	60 $\frac{1}{4}$ "	30"	14"	19 $\frac{3}{4}$ "

**For Pedestal, see Page 84**

# "Standard" ROUGHING-IN MEASUREMENTS

## Plate P 7480

Two Trays and Left Hand Sink with Continuous Waste and  
1½-inch Plate P 10474 Vented "S" Trap




For Pedestal, see Page 84

# "Standard" ROUGHING-IN MEASUREMENTS


## Plate P 7480

Two Trays and Right Hand Sink with Continuous Waste and  
1½-inch Plate P 10474 Vented "S" Trap



For Pedestal, see Page 84


## Adjustable Laundry Tray Pedestal



## Brass Traps

### Plate P 10462


**"P" Trap with Vent**



	A	B	C	D
1 $\frac{1}{4}$ in.	3 $\frac{1}{4}$ "	1 $\frac{5}{8}$ "	1 $\frac{5}{8}$ "	4"
1 $\frac{1}{2}$ in.	4 $\frac{1}{2}$ "	2 $\frac{1}{8}$ "	2 $\frac{3}{8}$ "	5 $\frac{5}{8}$ "
2 in.	4 $\frac{3}{4}$ "	2 $\frac{1}{4}$ "	2 $\frac{1}{2}$ "	6 $\frac{3}{8}$ "

### Plate P 10463

**"P" Trap without Vent**




	A	B
1 $\frac{1}{4}$ in.	1 $\frac{1}{2}$ "	4"
1 $\frac{1}{2}$ in.	2 $\frac{1}{4}$ "	4 $\frac{1}{2}$ "
2 in.	2 $\frac{1}{4}$ "	6 $\frac{1}{2}$ "

## Brass Traps

### Plate P 10474


**"S" Trap with Vent**



	S	A
1 $\frac{1}{4}$ in.	3 $\frac{7}{8}$ "	1 $\frac{3}{4}$ "
1 $\frac{1}{2}$ in.	4 $\frac{1}{2}$ "	2 $\frac{1}{8}$ "
2 in.	5 $\frac{5}{8}$ "	2 $\frac{1}{4}$ "

### Plate P 10474

**"S" Trap without Vent**




	S
1 $\frac{1}{4}$ in.	3 $\frac{7}{8}$ "
1 $\frac{1}{2}$ in.	4 $\frac{1}{2}$ "
2 in.	5 $\frac{1}{2}$ "



# **"Standard" ROUGHING-IN MEASUREMENTS**

## **Continuous Waste with Plate P 10474 "S" Trap with Vent**



# MEMORANDUM



# Standard Sanitary Mfg. Co.

General Offices, Pittsburgh, Pa.

---

---

L A R G E S T  
MANUFACTURERS  
OF PORCELAIN  
ENAMEL WARE,  
VITREOUS CHINA  
A N D B R A S S  
PLUMBING GOODS

---

---

